




Area Profile: Neighbourhood North East: Crompton and Halliwell

Introduction

The aim of this profile report is to give a demographic overview of each GP Cluster Neighbourhood.

The present report is for the North East neighbourhood of Crompton/Halliwell which is made up from the following GP practices:

- P82022 Halliwell Surgery 1
- P82029 Halliwell Surgery 2
- P82626 Halliwell Surgery 3
- P82607 Crompton Health Centre
- P82021 Kirby-Crompton Health Centre
- P82025 Burnside Surgery
- P82625 Charlotte Street Surgery
- Y03079 BCP Astley Dale








Population

Bolton's total population is set to increase by around 12% or around 33,000 people by 2035. Although the borough is set to gain approximately 30,000 people, it is projected that Bolton will lose around 14,000 residents who will move elsewhere in the UK. The borough is projected to experience a marginally higher birth rate than the national average¹.

The proportion of children in Bolton is slightly higher than the average for Greater Manchester and England. In 2011, 25.8% of the population were aged 0-19, with 6.8% of these being 0-4 years. Population projections for Bolton suggest that the number of dependent children will increase by 17% between 2010 and 2035.

There are currently around 34,105 patients within the Crompton/Halliwell neighbourhood registered at one of their practices, ranging from 2,120 in Charlotte Street Surgery to 6,400 in Kirby-Crompton Health Centre².



Taken as a whole, the age profile of the Crompton/Halliwell neighbourhood does not significantly differ from the Bolton average (as it is not currently possible to disaggregate BCP Astley Dale by age, the following chart excludes Astley Dale).

² National General Practice Profiles - http://fingertips.phe.org.uk/PROFILE/GENERAL-PRACTICE



¹Bolton's Health Matters (Starting Well) - http://www.boltonshealthmatters.org/

| Resid | dent popula | tion by key C | Census age g | roups | |
|-------------------------------|---------------------------|--------------------------------|---------------------------|---|-------------------------------------|
| Age | Halliwell Surgery 1 | Halliwell Surgery 2 | Halliwell Surgery 3 | Crompton View | Kirby- Crompton Health Centre |
| 0-4 years | 257 | 217 | 308 | 277 | 423 |
| 5-14 years | 643 | 418 | 582 | 653 | 819 |
| Under 19 years | 1,165 | 865 | 1,163 | 1,209 | 1,620 |
| 65+ years | 605 | 558 | 518 | 997 | 1,079 |
| 75+ years | 235 | 274 | 247 | 415 | 468 |
| 85+ years | 63 | 78 | 55 | 115 | 128 |
| | Burnside Surgery | Charlotte Street Surgery | BCP Astley Dale* | Crompton/ Halliwell neighbourhood | |
| 0-4 years | 275 | 184 | - | - | |
| 5-14 years | 645 | 371 | - | - | |
| Under 19 years | 1,187 | 737 | - | - | |
| 65+ years | 817 | 116 | - | - | |
| 75+ years | 369 | 43 | - | - | |
| 85+ years | 108 | 7 | - | - | |
| *Not possible to disaggregate | | | | | |

Around 10.7% of households within the neighbourhood are living in overcrowded circumstances – this is notably higher than average for Bolton (6.9%) and the national average (8.7%). This puts the neighbourhood in the top quartile in Bolton for this measure. A fairly average proportion (3.7%) of households in the area do not have central heating, but in many areas of Bolton almost 100% of households have central heating. A very serious issue locally, almost half (47.4%) of all pensioners within the neighbourhood are living alone. This is one of the highest proportions we observe in the town. Finally, within the neighbourhood 1,090 people are currently providing 50 or more hours of unpaid care.

Tenure in Crompton and Halliwell differs significantly from the town overall with a significantly higher number (41.8%) of social rented properties and subsequent lower numbers of owned properties.

| Tenure (%) | | |
|---|------------------------------|--------|
| | Crompton and Halliwell | Bolton |
| Owned outright | 17.7 | 30.6 |
| Owned with a mortgage or loan or shared ownership | 21.7 | 33.8 |
| Social rented | 41.8 | 20.5 |
| Private rented or living rent free | 18.8 | 15.2 |





Deprivation and economic activity

Known inequalities persist across the socioeconomic gradient of Bolton with older people living in the most deprived areas being more likely to develop long-term conditions, to rely on Adult Social Care, and to have more emergency admissions in their old age. There are 34 Lower Super Output Areas (LSOAs) in Bolton which rank in the most deprived 10% such areas in the country according to the Index of Multiple Deprivation 2015.

Around 9% of adults in the neighbourhood have a degree (or higher) qualification (notably lower than the Bolton average (13%)), while around 35% have no formal qualifications. The unemployment rate in Crompton and Halliwell is currently 5.1%, higher than that seen across Bolton as a whole (2.9%). In addition, 13.4 residents per 1,000 are long-term unemployed (JSA claimants for more than 12 months). This is significantly higher than the local average (6.6 per 1,000) and amongst the highest we observe locally. Net weekly income in the neighbourhood is around £400 which is the lowest level by neighbourhood in Bolton.

The Crompton/Halliwell neighbourhood has a much higher IMD 2015 score (47.8) than is average for Bolton (28.4), reflecting the fact that the neighbourhood contains some of the most deprived Wards in Bolton. For reference, the highest IMD score locally (most deprived) is 61.3 and the lowest (least deprived) is 5.4. This equates to 26.7% of households living in poverty, that is, below 60% of the median income (before housing costs). Again, this is the neighbourhood with the highest level of household poverty in Bolton.

Ethnicity

In Bolton as a whole 18.1% of the population are from Black and Minority Ethnic (BME) communities. The BME community in Crompton/Halliwell neighbourhood is notably higher than average at 28.1%, or 9,585 people.

As is to be expected given the higher than average BME population, there is also a significant number of residents within the Crompton/Halliwell neighbourhood whose main language is not English – 4.2%, or 1,430 people; across the borough 2.3% of the population do not have English as their main language.

Child health

Children aged 5 to 19 face a range of transition stages, namely from primary to secondary school and the beginning of adolescence through to adulthood.



The needs of children and young people in this wide age range vary greatly as it is a period of rapid growth and development. Many of the health problems that young people develop as they grow older are rooted in their experiences of childhood and adolescence. Importantly, a sense of aspiration, achievement, and security are intrinsically linked to young people's life chances and their long term wellbeing³.

Crompton and Halliwell has one of the highest proportions of low birth weight births (10.0%) in Bolton; for comparison the highest local rate is 12.3% and the lowest is 4.2%. Teenage pregnancy is also an issue with 2.5% of all local deliveries being to a mother under the age of 18. The average across Bolton is 1.6%, putting the neighbourhood amongst the highest in the borough.

Lower than average numbers (44.5%) of local children achieve a good level of development at age 5 in Crompton and Halliwell (Bolton, 54.2%). This is lower than the national average (60.4%) and much lower than the highest achieving neighbourhood in Bolton (80.3%). This pattern continues for local GCSE attainment, with only 44.6% of local children achieving 5 A*-C including English and Maths. This proportion is some way behind the highest attaining neighbourhood of Bolton (78.2%).

Childhood overweight and obesity levels in Crompton and Halliwell are fairly average at a third (32.5%) of Year 6 children and 18.1% of Reception children - this reflects the national and local picture.

For all A&E attendances under 18 years old, Bolton has a higher rate (362 per 1,000) than we observe in Crompton/Halliwell (300). Within the neighbourhood, practices range from 293 per 1,000 in Halliwell Surgery 1 to 329 per 1,000 in Crompton View.

| Child Hea | lth: Hospital | activity (2012 | 2/13 – 2014/1 | L 5) | | | |
|---|---------------|----------------|---------------------------------|--------------|---------------------|-------|--|
| | Halliwell | Surgery 1 | Halliwell | Surgery 2 | Halliwell Surgery 3 | | |
| | Number | Rate* | Number | Rate* | Number | Rate* | |
| A&E attendances (<18) | 947 | 294 | 706 | 306 | 969 | 308 | |
| Emergency respiratory admissions (<18) | 34 | 6.3 | 14 | 3.5 | 29 | 5.6 | |
| Emergency admissions for asthma, diabetes or epilepsy (<18) | 16 | 3.0 | 40 | 10.1 | 32 | 6.2 | |
| Admissions due to injury (<18) | 39 | 12.1 | 28 | 12.1 | 52 | 16.5 | |
| | Crompt | on View | Kirby-Crompton Health Centre | | Burnside Surgery | | |
| | Number | Rate* | Number | Rate* | Number | Rate* | |
| A&E attendances (<18) | 1,087 | 329 | 1,322 | 321 | 1,048 | 305 | |
| Emergency respiratory admissions (<18) | 22 | 4.0 | 39 | 5.9 | 25 | 4.2 | |
| Emergency admissions for asthma, diabetes or epilepsy (<18) | 26 | 4.7 | 19 | 2.9 | 26 | 4.3 | |
| Admissions due to injury (<18) | 66 | 20.0 | 82 | 20.0 | 42 | 12.2 | |

³ JSNA Executive Summaries 2014 (Developing Well) - http://www.boltonshealthmatters.org/content/jsna-executive-summaries-2014



| | Charlotte Street Surgery | | BCP Ast | ley Dale | Crompton/Halliwell neighbourhood | | |
|---|-----------------------------|-------|---------|----------|----------------------------------|-------|--|
| | Number | Rate* | Number | Rate* | Number | Rate* | |
| A&E attendances (<18) | 427 | 237 | 782 | 313 | 7,288 | 307 | |
| Emergency respiratory admissions (<18) | 14 | 4.8 | 20 | 4.4 | 197 | 5.1 | |
| Emergency admissions for asthma, diabetes or epilepsy (<18) | 11 | 3.7 | 21 | 4.5 | 191 | 5.6 | |
| Admissions due to injury (<18) | 18 | 10.0 | 32 | 12.6 | 359 | 15.9 | |


^{*}Rate per 1,000


Health profile

Bolton's biggest killers are CVD, cancer, and respiratory disease and these are conditions very strongly associated with poor lifestyle behaviours. The physical health conditions that are increasing in Bolton are diabetes, which is increasing in line with obesity, liver disease as a result of alcohol misuse, and skin cancer⁴.

CVD/risk factors

Hypertension






⁴ JSNA Executive Summaries (Living Well) - http://www.boltonshealthmatters.org/sites/default/files/LIVING%20WELL.pdf



Overall, 22.0% (5,717 people) of Crompton/Halliwell practices have hypertension; this proportion is higher than typical for Bolton (14.0%). There is a notable lower prevalence of hypertension in Charlotte Street Surgery compared to the rest of the Crompton/Halliwell neighbourhood. The population of the neighbourhood, because of deprivation and ethnic makeup, is at higher risk than average for cardiovascular ill health and as such this variation may suggest under-diagnosis in certain practices.

Coronary heart disease (CHD)

Within the Crompton/Halliwell neighbourhood around 1,060 patients registered have CHD. The prevalence for CHD for all ages is 3.3%, which is typical for Bolton (3.3%).




Stroke

The stroke prevalence for Crompton/Halliwell (2.0%) is slightly higher than what we observe in Bolton overall (1.8%) and nationally (1.7%). This equates to 770 people in the Crompton/Halliwell neighbourhood.









Obesity

Crompton/Halliwell (12.7%) is again typical for Bolton (12.2%) when we consider obese patients (aged 18+). This equates to 3,040 obese patients in the neighbourhood. Over recent years Bolton has seen a decrease in the levels of obesity, but the prevalence still remains higher than the national average $(9.5\%)^5$.

The previous indicator (aged 16+) has been retired; as such no comparable trend data is currently available.

Estimated smoking prevalence

Smoking is the most significant preventable cause of ill health, premature death, and health inequalities in Bolton. Whilst the prevalence of smoking has reduced in recent years, approximately a fifth of the adult population are current smokers and ten people die each week in Bolton from smoking related illnesses⁶.

Public Health England (PHE) estimates the national smoking prevalence to currently be 18.1% with Bolton having the somewhat higher rate of 20.5%. Crompton/Halliwell neighbourhood again has an estimated prevalence (22.4%) similar to the Bolton average, equating to 5,719 people.

⁶ Respiratory Disease JSNA Chapter - http://www.boltonshealthmatters.org/content/respiratory-disease-jsna



⁵ National General Practice Profiles - http://fingertips.phe.org.uk/PROFILE/GENERAL-PRACTICE



Heart failure and atrial fibrillation

Crompton/Halliwell has similar levels of heart failure (0.8%) and atrial fibrillation (1.8%) to Bolton (0.8%, 1.5%).

| CVD (2015/16) | | | | | | | | |
|---------------------|-----------|-------------------|-------------|-----------------|------------------|------------------------|--|--|
| | Halliwell | Surgery 1 | Halliwell S | urgery 2 | Halliwell | Surgery 3 | | |
| | Number | Rate* | Number | Rate* | Number | Rate* | | |
| Hypertension | 709 | 22.1 | 841 | 30.4 | 785 | 25.5 | | |
| CHD | 149 | 3.6 | 121 | 3.6 | 122 | 3.1 | | |
| Stroke | 71 | 1.7 | 89 | 2.6 | 70 | 1.8 | | |
| Obesity (18+) | 433 | 14.3 | 392 | 14.9 | 352 | 12.1 | | |
| Smoking | 709 | 22.1 | 841 | 30.4 | 785 | 25.5 | | |
| Heart Failure | 47 | 1.1 | 45 | 1.3 | 29 | 0.7 | | |
| Atrial Fibrillation | 63 | 1.5 | 62 | 1.8 | 56 | 1.4 | | |
| | Crompt | Crompton View | | mpton Centre | Burnside Surgery | | | |
| | Number | Rate* | Number | Rate* | Number | Rate* | | |
| Hypertension | 933 | 23.1 | 925 | 19.1 | 751 | 18.8 | | |
| CHD | 165 | 3.3 | 209 | 3.4 | 136 | 2.8 | | |
| Stroke | 110 | 2.2 | 123 | 2.0 | 77 | 1.6 | | |
| Obesity (18+) | 635 | 16.5 | 444 | 9.6 | 361 | 9.5 | | |
| Smoking | 933 | 23.1 | 925 | 19.1 | 751 | 18.8 | | |
| Heart Failure | 49 | 1.0 | 24 | 0.4 | 27 | 0.6 | | |
| Atrial Fibrillation | 120 | 2.4 | 119 | 2.0 | 60 | 1.2 | | |
| | | te Street gery | BCP Astle | ey Dale | | n/Halliwell ourhood | | |
| | Number | Rate* | Number | Rate* | Number | Rate* | | |
| Hypertension | 188 | 12.2 | 585 | 15.3 | 5,717 | 22.0 | | |
| CHD | 29 | 1.4 | 132 | 3.5 | 1,063 | 3.3 | | |
| Stroke | 11 | 0.5 | 221 | 1.9 | 772 | 2.0 | | |
| Obesity (18+) | 111 | 7.8 | 313 | 10.5 | 3.041 | 12.7 | | |
| Smoking | 188 | 12.2 | 587 | 19.0 | 5,719 | 22.4 | | |
| Heart Failure | 8 | 0.4 | 23 | 0.6 | 252 | 0.9 | | |
| Atrial Fibrillation | 6 | 0.3 | 58 | 1.5 | 544 | 1.8 | | |

| CVD (Mar 17) | | | | | | | | |
|------------------------------|-----------------------|----------------------------|--------------------------------------|-----------------------------|-----------------|----------------|----------------------------------|--|
| | | High F | Risk CVD Rev | view | Heart | Failure wit | h LVD | |
| | Practice List Size | PP Register (>20% Risk) | On PP reg had annual review | (%) had annual review | LVD Register | HF Register | LVD Prev of HF Register | |
| Kirby-Crompton Health Centre | 6,475 | 75 | 61 | 81.3% | 12 | 28 | 42.9% | |



| Halliwell Surgery 1 | 4,179 | 107 | 77 | 72.0% | 34 | 48 | 70.8% |
|----------------------------------|--------|-----|-----|-------|-----|-----|-------|
| Burnside Surgery | 4,945 | 104 | 68 | 65.4% | 9 | 22 | 40.9% |
| Halliwell Surgery 2 | 3,463 | 93 | 76 | 81.7% | 36 | 46 | 78.3% |
| Crompton Health Centre | 5,138 | 112 | 82 | 73.2% | 36 | 60 | 60.0% |
| Charlotte Street Surgery | 2,136 | 12 | 11 | 91.7% | 8 | 10 | 80.0% |
| Halliwell Surgery 3 | 4,114 | 102 | 84 | 82.4% | 28 | 34 | 82.4% |
| BCP Astley Dale | 3,926 | 85 | 60 | 70.5% | 13 | 26 | 48.1% |
| Crompton/Halliwell neighbourhood | 34,376 | 690 | 519 | 75.2% | 176 | 274 | 64.1% |
| | | | | | | | |
| | | | | | | | |

| | | Atrial Fibrillation | | | | | | | | |
|----------------------------------|-----------------------|---------------------|----------------|-------------------|----------------|-----------------|---------------------|--|--|--|
| | Practice List Size | AF Register | (%) Non SMK | (%) Pulse rate | (%) CHA2Ds2 | (%) HAS BLED | (%) ANTI COAG | | | |
| Kirby-Crompton Health Centre | 6,475 | 122 | 94.3% | 92.6% | 98.4% | 91.0% | 77.9% | | | |
| Halliwell Surgery 1 | 4,179 | 65 | 89.2% | 84.6% | 92.3% | 12.3% | 10.8% | | | |
| Burnside Surgery | 4,945 | 74 | 87.8% | 58.1% | 32.4% | 23.0% | 21.6% | | | |
| Halliwell Surgery 2 | 3,463 | 59 | 86.4% | 98.3% | 98.3% | 98.3% | 76.3% | | | |
| Crompton Health Centre | 5,138 | 126 | 90.5% | 95.2% | 57.1% | 57.1% | 50.0% | | | |
| Charlotte Street Surgery | 2,136 | 5 | 100.0% | 80.0% | 100.0% | 80.0% | 60.0% | | | |
| Halliwell Surgery 3 | 4,114 | 53 | 90.6% | 88.7% | 98.1% | 86.8% | 77.4% | | | |
| BCP Astley Dale | 3,926 | 72 | 90.0% | 91.4% | 88.2% | 85.0% | 71.8% | | | |
| Crompton/Halliwell neighbourhood | 34,376 | 576 | 90.4% | 87.8% | 78.9% | 65.5% | 55.9% | | | |

Cancer

Around 650 deaths each year in Bolton are attributed to cancer, which accounts for just over a quarter of all local deaths. Digestive cancers and lung cancer are the most significant cancers when we consider mortality in Bolton, accounting for around 180 and 170 deaths respectively. Lung cancer is the chief cancer associated with local inequalities due to the differences in smoking prevalence across the social gradient.

The prevalence of all cancers in Crompton/Halliwell (2.3%) follows closely that seen across Bolton (2.2%).

| Cancer prevalence for all ages (2015/16) | | | | | | | |
|--|--------|-----|--|--|--|--|--|
| | Number | (%) | | | | | |
| Halliwell Surgery 1 | 71 | 1.7 | | | | | |
| Halliwell Surgery 2 | 88 | 2.6 | | | | | |
| Halliwell Surgery 3 | 82 | 2.1 | | | | | |
| Crompton View | 113 | 2.3 | | | | | |
| Kirby-Crompton Health Centre | 148 | 2.4 | | | | | |
| Burnside Surgery | 105 | 2.1 | | | | | |
| Charlotte Street Surgery | 6 | 0.3 | | | | | |







| | (| Cancer Screeni | ng (Mar 17) | | | | | |
|----------------------------------|--------------------------------|--|--------------------------------------|--------------------------------------|-----------------------------------|-------------------------------|---------------|--|
| | Breast Screening (Women 50-70) | | | | Bowel Screening (Patients 60-74) | | | |
| | Practice List Size | Eligible Population (Women 50-70) | No. Screened within 3 YEARS | (%) screened within 3 YEARS | Eligible population (60-74) | No. screened in last 2y | (%) Uptake | |
| Kirby-Crompton Health Centre | 6,475 | 781 | 578 | 74.0% | 949 | 586 | 61.7% | |
| Halliwell Surgery 1 | 4,179 | 398 | 267 | 67.1% | 531 | 238 | 44.8% | |
| Burnside Surgery | 4,945 | 577 | 410 | 71.1% | 716 | 388 | 54.2% | |
| Halliwell Surgery 2 | 3,463 | 350 | 266 | 76.0% | 422 | 209 | 49.5% | |
| Crompton Health Centre | 5,138 | 608 | 447 | 73.5% | 813 | 472 | 58.1% | |
| Charlotte Street Surgery | 2,136 | 165 | 89 | 53.9% | 154 | 30 | 19.5% | |
| Halliwell Surgery 3 | 4,114 | 393 | 239 | 60.8% | 432 | 207 | 47.9% | |
| BCP Astley Dale | 3,926 | 475 | 298 | 62.9% | 587 | 324 | 55.2% | |
| Crompton/Halliwell neighbourhood | 34,376 | 3,747 | 2,594 | 69.2% | 4,604 | 2,454 | 53.3% | |
| | | | | | | | | |
| | | Cervical Scr | eening (Wor | nen 25-49) | Cervical Scr | eening (Wom | nen 50-64 | |
| | Practice List Size | Eligible population (25-49) | No. screened in last 3y | (%) Uptake | Eligible population (50-64) | No. screened in last 5y | (%) Uptake | |
| Kirby-Crompton Health Centre | 6,475 | 1,055 | 807 | 76.5% | 482 | 372 | 77.2% | |
| Halliwell Surgery 1 | 4,179 | 712 | 351 | 49.3% | 281 | 185 | 65.8% | |
| Burnside Surgery | 4,945 | 836 | 498 | 59.6% | 386 | 287 | 74.4% | |
| Halliwell Surgery 2 | 3,463 | 525 | 303 | 57.7% | 278 | 174 | 62.6% | |
| Crompton Health Centre | 5,138 | 856 | 534 | 62.4% | 412 | 277 | 67.2% | |
| Charlotte Street Surgery | 2,136 | 359 | 151 | 42.1% | 126 | 91 | 72.2% | |
| Halliwell Surgery 3 | 4,114 | 683 | 371 | 54.3% | 288 | 182 | 63.2% | |
| | | | | | | | | |
| BCP Astley Dale | 3,926 | 650 | 388 | 59.7% | 306 | 227 | 74.1% | |

Respiratory disease

The term respiratory disease covers a range of conditions, but the key areas for Bolton are asthma, bronchitis, emphysema and other COPD, and pneumonia.

Respiratory disease is one of the key contributing factors to reduced life expectancy in Bolton and is the third leading cause of death. NHS Bolton spends around £26million on problems of













the respiratory system, the majority of which is split between secondary care non-elective activity (£11million) and primary care prescribing and pharmaceutical services (£8million)⁷.

Asthma

In Bolton there are currently around 19,500 people on the asthma disease register (aged 8 years and over). This is likely a slight underestimation of true prevalence. The Asian Pakistani community demonstrates the highest levels of asthma and chronic cough in Bolton.

The prevalence of asthma within the Crompton/Halliwell neighbourhood again mirrors the Bolton picture with 6.6% of the practice population on the asthma disease register; equating to around 2,165 patients.

COPD

As discussed above, the major risk factor in respiratory disease is smoking or exposure to tobacco smoke. For asthma and COPD, early diagnosis and effective treatment and management have a positive impact on long-term health outcomes.

COPD within the Crompton/Halliwell neighbourhood (2.7%) is slightly higher than what we observe across Bolton (2.3%).

| Asthma/COPD prevalence for all ages (2015/16) | | | | | | | | |
|---|--------|-----|--------|-----|--|--|--|--|
| | Astl | nma | со | PD | | | | |
| | Number | (%) | Number | (%) | | | | |
| Halliwell Surgery 1 | 302 | 7.4 | 93 | 2.3 | | | | |
| Halliwell Surgery 2 | 242 | 7.1 | 141 | 4.1 | | | | |
| Halliwell Surgery 3 | 266 | 6.7 | 117 | 3.0 | | | | |
| Crompton View | 342 | 6.9 | 145 | 2.9 | | | | |
| Kirby-Crompton Health Centre | 395 | 6.5 | 128 | 2.1 | | | | |
| Burnside Surgery | 288 | 5.9 | 102 | 2.1 | | | | |
| Charlotte Street Surgery | 88 | 4.2 | 12 | 0.6 | | | | |
| BCP Astley Dale | 242 | 6.3 | 90 | 2.4 | | | | |
| Crompton/Halliwell neighbourhood | 2,165 | 6.6 | 828 | 2.7 | | | | |

| Asthma (Mar 17) | | | | | | | | |
|------------------------------|-----------------------|--------------------------|--------------------|---------------------------------|-----------------|------------------------|----------------------------------|--------------------------------|
| | | | | Child Asth | ıma (5-11 ye | ars) | | |
| | Practice List Size | List size ≥ 5 <12 yrs | Asthma Register | (%) Passive SMK Advice | (%) Mng Plan | (%) Trigger Fact | (%) Asthma Control test | (%) Inhaler Tech Good |
| Kirby-Crompton Health Centre | 6,475 | 709 | 33 | 60.6% | 54.5% | 63.6% | 54.5% | 54.5% |

⁷ Respiratory Disease JSNA Chapter - http://www.boltonshealthmatters.org/content/respiratory-disease-jsna



| Halliwell Surgery 1 | 4,179 | 524 | 32 | 25.0% | 59.4% | 46.9% | 43.8% | 56.3% |
|--|--|---|----------------------------------|---|--|--|---|---|
| Burnside Surgery | 4,945 | 563 | 32 | 53.1% | 56.3% | 53.1% | 53.1% | 56.3% |
| Halliwell Surgery 2 | 3,463 | 372 | 13 | 92.3% | 76.9% | 69.2% | 61.5% | 69.2% |
| Crompton Health Centre | 5,138 | 557 | 29 | 82.8% | 86.2% | 75.9% | 86.2% | 89.7% |
| Charlotte Street Surgery | 2,136 | 310 | 10 | 70.0% | 70.0% | 70.0% | 70.0% | 70.0% |
| Halliwell Surgery 3 | 4,114 | 487 | 37 | 62.2% | 64.9% | 62.2% | 64.9% | 64.9% |
| BCP Astley Dale | 3,926 | 419 | 20 | 53.3% | 48.3% | 35.0% | 60.0% | 45.0% |
| Crompton/Halliwell neighbourhood | 34,376 | 3,941 | 206 | 59.1% | 63.4% | 58.8% | 60.7% | 62.6% |
| | | | | | | | | |
| | | | | Asthma (| over 12 yea | rs) | | |
| | | | | | | | | |
| | Practice List Size | List size ≥ 12 yrs | Asthma Register | (%) Non SMK | (%) Mng Plan | (%) Trigger Fact | (%) Asthma Control test | (%) Inhaler Tech Good |
| Kirby-Crompton Health Centre | | | | ` , | | Trigger | Asthma Control | Inhaler Tech |
| Kirby-Crompton Health Centre Halliwell Surgery 1 | List Size | 12 yrs | Register | SMK | Plan | Trigger Fact | Asthma Control test | Inhaler Tech Good |
| , , | List Size | 12 yrs 5,391 | Register | SMK 89.8% | Plan 67.8% | Trigger Fact 76.4% | Asthma Control test 68.1% | Inhaler Tech Good 69.1% |
| Halliwell Surgery 1 | 6,475 4,179 | 12 yrs 5,391 3,444 | Register 382 280 | SMK 89.8% 78.2% | Plan 67.8% 60.4% | Trigger Fact 76.4% 66.4% | Asthma Control test 68.1% 59.6% | Inhaler Tech Good 69.1% 64.3% |
| Halliwell Surgery 1 Burnside Surgery | 6,475 4,179 4,945 | 12 yrs 5,391 3,444 4,168 | 382 280 278 | SMK 89.8% 78.2% 86.0% | Plan 67.8% 60.4% 64.4% | Trigger Fact 76.4% 66.4% 61.2% | Asthma Control test 68.1% 59.6% 64.0% | Inhaler Tech Good 69.1% 64.3% 64.4% |
| Halliwell Surgery 1 Burnside Surgery Halliwell Surgery 2 | 6,475 4,179 4,945 3,463 | 12 yrs 5,391 3,444 4,168 2,915 | 382 280 278 236 | SMK 89.8% 78.2% 86.0% 75.4% | Plan 67.8% 60.4% 64.4% 69.5% | Trigger Fact 76.4% 66.4% 61.2% 75.8% | Asthma Control test 68.1% 59.6% 64.0% | Inhaler Tech Good 69.1% 64.3% 64.4% 72.5% |
| Halliwell Surgery 1 Burnside Surgery Halliwell Surgery 2 Crompton Health Centre | 6,475 4,179 4,945 3,463 5,138 | 12 yrs 5,391 3,444 4,168 2,915 4,365 | 382 280 278 236 321 | 89.8% 78.2% 86.0% 75.4% 83.8% | Plan 67.8% 60.4% 64.4% 69.5% 76.0% | Trigger Fact 76.4% 66.4% 61.2% 75.8% 82.6% | Asthma Control test 68.1% 59.6% 64.0% 64.0% 78.2% | Inhaler Tech Good 69.1% 64.3% 64.4% 72.5% 77.3% |
| Halliwell Surgery 1 Burnside Surgery Halliwell Surgery 2 Crompton Health Centre Charlotte Street Surgery | 6,475 4,179 4,945 3,463 5,138 2,136 | 12 yrs 5,391 3,444 4,168 2,915 4,365 1690 | Register 382 280 278 236 321 76 | SMK 89.8% 78.2% 86.0% 75.4% 83.8% 96.1% | Plan 67.8% 60.4% 64.4% 69.5% 76.0% 69.7% | Trigger Fact 76.4% 66.4% 61.2% 75.8% 82.6% 67.1% | Asthma Control test 68.1% 59.6% 64.0% 64.0% 78.2% 65.8% | Inhaler Tech Good 69.1% 64.3% 64.4% 72.5% 77.3% 65.8% |

| COPD (Mar 17) | | | | | | | | |
|----------------------------------|-----------------------|------------------|-------------------|-----------------|--------------------------------|--------------------------|-----------------|--------------------|
| | | | | | COPD | | | |
| | Practice List Size | COPD Register | (%) Non SMK | (%) Mng Plan | (%) Inhaler Tech Good | (%) Predicted Fev1 | (%) screened | (%) Pulse O2 |
| Kirby-Crompton Health Centre | 6,475 | 141 | 73.8% | 85.1% | 83.0% | 82.3% | 85.1% | 85.8% |
| Halliwell Surgery 1 | 4,179 | 91 | 53.8% | 59.3% | 53.8% | 34.1% | 60.4% | 68.1% |
| Burnside Surgery | 4,945 | 100 | 69.0% | 77.0% | 75.0% | 73.0% | 73.0% | 88.0% |
| Halliwell Surgery 2 | 3,463 | 143 | 53.8% | 86.7% | 83.2% | 82.5% | 80.4% | 87.4% |
| Crompton Health Centre | 5,138 | 153 | 56.9% | 89.5% | 81.7% | 65.4% | 91.5% | 92.8% |
| Charlotte Street Surgery | 2,136 | 11 | 90.9% | 81.8% | 90.9% | 63.6% | 81.8% | 90.9% |
| Halliwell Surgery 3 | 4,114 | 121 | 55.4% | 84.3% | 82.6% | 83.5% | 84.3% | 85.1% |
| BCP Astley Dale | 3,926 | 96 | 67.0% | 68.7% | 67.7% | 71.1% | 71.5% | 81.4% |
| Crompton/Halliwell neighbourhood | 34,376 | 856 | 61.6% | 80.5% | 77.1% | 71.8% | 79.7% | 85.2% |








Diabetes

The number of people diagnosed with diabetes increases each year; nationally, the pace of the increase has been approximately 25% over the past six years. Commissioners need to ensure service capacity to cope with rising numbers of diabetes patients. Type 2 diabetes is by far the most prevalent diabetes and the one that is increasing. Local diabetes prevention strategies aiming to reduce the incidence of Type 2 diabetes need to engage especially with deprived communities.

Smoking, obesity, hypertension and CHD are all associated with diabetes. The QOF prevalence of diabetes within the Crompton/Halliwell (8.7%) neighbourhood is almost one percentage point higher than Bolton (8.0%). The practices combined have 2,160 patients on their register; however the number of people estimated to be diabetic is higher. Evidence suggests that being of South Asian ethnicity increases the likelihood of developing diabetes and given the high proportion of BME residents we would expect prevalence of diabetes to be higher still⁸.



Chronic kidney disease (CKD)

The main cause of chronic kidney disease is diabetes. Crompton/Halliwell as a whole has a prevalence of 6.4% which equates to 1,560 people – this accounts for 70% of the diabetes register in the neighbourhood.

⁸ Nomis official labour market statistics - https://www.nomisweb.co.uk/





| Diabetes/CKD prevalence for patients aged 18+ (2015/16) | | | | | | | |
|---|--------|------|--------|-----|--|--|--|
| | Diab | etes | CI | (D | | | |
| | Number | (%) | Number | (%) | | | |
| Halliwell Surgery 1 | 294 | 9.5 | 195 | 6.4 | | | |
| Halliwell Surgery 2 | 247 | 9.2 | 211 | 8.0 | | | |
| Halliwell Surgery 3 | 266 | 9.0 | 189 | 6.5 | | | |
| Crompton View | 322 | 8.3 | 279 | 7.2 | | | |
| Kirby-Crompton Health Centre | 291 | 6.2 | 283 | 6.1 | | | |
| Burnside Surgery | 308 | 7.9 | 200 | 5.2 | | | |
| Charlotte Street Surgery | 184 | 12.5 | 41 | 2.9 | | | |
| BCP Astley Dale | 248 | 8.2 | 159 | 5.4 | | | |
| Crompton/Halliwell neighbourhood | 2,160 | 8.7 | 1557 | 6.4 | | | |

| Diabetes (Mar 17) | | | | | | |
|----------------------------------|-----------------------|---------------------|------------------------|--------------------|-----------------------|------------------------------|
| | | | Diabete | s 9 care pro | cesses | |
| | Practice List Size | DM Register size | (%) non smk | (%) BP ≤ 145/85 | (%) Chol ≤ 5mmol/l | (%) HbA1c ≤ 53 mmol |
| Kirby-Crompton Health Centre | 6,475 | 322 | 86.0% | 90.1% | 65.5% | 48.1% |
| Halliwell Surgery 1 | 4,179 | 309 | 83.8% | 84.5% | 55.7% | 51.1% |
| Burnside Surgery | 4,945 | 324 | 88.0% | 91.4% | 71.3% | 61.4% |
| Halliwell Surgery 2 | 3,463 | 252 | 81.0% | 91.3% | 70.2% | 49.2% |
| Crompton Health Centre | 5,138 | 335 | 83.3% | 93.1% | 77.9% | 66.6% |
| Charlotte Street Surgery | 2,136 | 184 | 92.4% | 80.4% | 58.7% | 50.5% |
| Halliwell Surgery 3 | 4,114 | 292 | 85.6% | 89.7% | 74.0% | 55.1% |
| BCP Astley Dale | 3,926 | 250 | 86.9% | 81.8% | 65.4% | 55.9% |
| Crompton/Halliwell Neighbourhood | 34,376 | 2,268 | 85.6% | 88.3% | 67.9% | 55.2% |
| | | | | | | |
| | | | Diabete | s 9 care pro | cesses | |
| | Practice List Size | (%) ACR re | (%) DM_BMI (22K) | (%) DM_RET | (%) DM_FOOT | (%) DM_CRE |
| Kirby-Crompton Health Centre | 6,475 | 63.7% | 88.8% | 70.2% | 67.1% | 96.0% |
| Halliwell Surgery 1 | 4,179 | 62.1% | 79.9% | 75.7% | 76.7% | 87.4% |
| Burnside Surgery | 4,945 | 83.0% | 89.8% | 41.7% | 62.7% | 96.6% |
| Halliwell Surgery 2 | 3,463 | 74.2% | 92.1% | 76.2% | 76.2% | 90.5% |
| Crompton Health Centre | 5,138 | 77.6% | 93.7% | 71.3% | 72.2% | 96.4% |
| Charlotte Street Surgery | 2,136 | 58.7% | 91.3% | 85.3% | 89.7% | 92.9% |
| Halliwell Surgery 3 | 4,114 | 72.9% | 90.4% | 66.4% | 74.3% | 96.6% |
| BCP Astley Dale | 3,926 | 70.3% | 82.2% | 79.4% | 78.4% | 92.1% |
| Crompton/Halliwell Neighbourhood | 34,376 | 71.0% | 88.5% | 69.5% | 73.5% | 93.7% |



















Admissions

Crompton and Halliwell experiences 45% more emergency admissions than is average for England and 30% more than typical for Bolton. In general, admissions in the neighbourhood across all the main disease areas are considerably higher than England and Bolton.

The neighbourhood stands out in particular for COPD admissions, which are 141% higher than England and double that of Bolton. The neighbourhood also stands out for lung cancer, self-harm, and CHD in particular.

| Standardised admissions ratios | | | | | | |
|---|------------------------------|-------------------|----------------|-----------------|---------|--|
| | Crompton and Halliwell | Bolton average | Bolton best | Bolton worst | England | |
| Emergency Admissions, All Causes SAR | 145 | 115 | 77 | 160 | 100 | |
| Emergency Admissions, Coronary Heart Disease SAR | 184 | 127 | 60 | 275 | 100 | |
| Emergency Admissions, Stroke SAR | 145 | 119 | 76 | 197 | 100 | |
| Emergency Admissions, Chronic Obstructive Pulmonary Disease (COPD) SAR | 241 | 127 | 37 | 320 | 100 | |
| Incidence of all cancers SIR | 115 | 100 | 77 | 128 | 100 | |
| Incidence of breast cancer SIR | 87 | 93 | 58 | 123 | 100 | |
| Incidence of colorectal cancer SIR | 118 | 100 | 51 | 152 | 100 | |
| Incidence of lung cancer SIR | 189 | 115 | 44 | 244 | 100 | |
| Hospital stays for intentional self harm SAR | 187 | 119 | 33 | 271 | 100 | |
| Hospital Admissions for Alcohol Attributable Harm (narrow definition) SAR | 152 | 106 | 58 | 207 | 100 | |
| Emergency Admissions, Hip Fracture in 65+ SAR | 103 | 103 | 71 | 175 | 100 | |

Mental health and depression

Mental health problems and depression are associated with high levels of deprivation for all age groups, but treatment for mental health problems can adversely affect physical health in vulnerable older people. Both physical and mental health difficulties can affect an individual's ability to care for themselves independently and potentially have major implications for their way of life and their need for services.

Depression in Crompton/Halliwell (10.2%) is just higher than typical for Bolton (9.1%), with a register size of 2,400. However, the average for Bolton should perhaps be higher because we know from further analysis that at GP practice level depression is not as associated with



deprivation as we would expect from wider research. This suggests under-diagnosis in Bolton's more deprived communities.

The prevalence of severe mental illness across Bolton, as measured by QOF, is recorded as 0.9%. Crompton/Halliwell neighbourhood has a similar rate at 1.1%, equating to 330 patients within the practices that have a recorded mental health issue.

| Mental Health Indicators: QOF register prevalence 2015/16 | | | | | | |
|---|--------|--------|--------------------|--------------------|--|--|
| | Depre | ession | Mental problems | health (severe) | | |
| | Number | (%) | Number | (%) | | |
| Halliwell Surgery 1 | 375 | 12.4 | 49 | 1.2 | | |
| Halliwell Surgery 2 | 260 | 9.9 | 55 | 1.6 | | |
| Halliwell Surgery 3 | 254 | 8.7 | 48 | 1.2 | | |
| Crompton View | 482 | 12.5 | 33 | 0.7 | | |
| Kirby-Crompton Health Centre | 469 | 10.1 | 38 | 0.6 | | |
| Burnside Surgery | 310 | 8.1 | 52 | 1.1 | | |
| Charlotte Street Surgery | 23 | 1.6 | 11 | 0.5 | | |
| BCP Astley Dale | 224 | 7.5 | 45 | 1.2 | | |
| Crompton/Halliwell neighbourhood | 2,397 | 10.2 | 331 | 1.1 | | |

The prevalence of dementia across Bolton, as measured by QOF, is recorded as 0.8%. Crompton and Halliwell neighbourhood has a similar rate at 0.9%, equating to 260 patients within the practices diagnosed with dementia. However, there will be a number of local people currently living with undiagnosed dementia – across Bolton we currently have a diagnosis rate of around 73%. Finally, there are 175 people currently residing in the Crompton and Halliwell neighbourhood with learning disabilities.

| Mental Health Indicators: QOF register prevalence 2015/16 | | | | | | |
|---|--------|-------|----------|------------|--|--|
| | Dem | entia | Learning | disability | | |
| | Number | (%) | Number | (%) | | |
| Halliwell Surgery 1 | 23 | 0.6 | 26 | 0.6 | | |
| Halliwell Surgery 2 | 43 | 1.3 | 33 | 1.0 | | |
| Halliwell Surgery 3 | 30 | 0.8 | 29 | 0.7 | | |
| Crompton View | 54 | 1.1 | 18 | 0.4 | | |
| Kirby-Crompton Health Centre | 46 | 0.8 | 25 | 0.4 | | |
| Burnside Surgery | 35 | 0.7 | 16 | 0.3 | | |
| Charlotte Street Surgery | 2 | 0.1 | 10 | 0.5 | | |
| BCP Astley Dale | 27 | 0.7 | 18 | 0.5 | | |
| Crompton/Halliwell neighbourhood | 260 | 0.9 | 175 | 0.6 | | |



| Mental Health, Dementia and Learning Disabilities (Mar 17) | | | | | | | | |
|--|-----------------------|----------------------|--------------------------------|---------------------|-----------------------|------------------------------|-------------------------|--|
| | | | Dementia | | Learning Disabilities | | | |
| | Practice List Size | Dementia register | Annual reviews | (%) review | LD register | Physical health checks | (%) health checks | |
| Kirby-Crompton Health Centre | 6,475 | 49 | 43 | 87.8% | 24 | 20 | 83.3% | |
| Halliwell Surgery 1 | 4,179 | 26 | 10 | 38.5% | 22 | 14 | 63.6% | |
| Burnside Surgery | 4,945 | 42 | 40 | 95.2% | 18 | 13 | 72.2% | |
| Halliwell Surgery 2 | 3,463 | 34 | 34 | 100.0% | 29 | 27 | 93.1% | |
| Crompton Health Centre | 5,138 | 55 | 53 | 96.4% | 17 | 16 | 94.1% | |
| Charlotte Street Surgery | 2,136 | 2 | 1 | 50.0% | 9 | 8 | 88.9% | |
| Halliwell Surgery 3 | 4,114 | 30 | 26 | 86.7% | 32 | 26 | 81.3% | |
| BCP Astley Dale | 3,926 | 32 | 31 | 97.9% | 16 | 14 | 83.7% | |
| Crompton/Halliwell Neighbourhood | 34,376 | 270 | 238 | 88.3% | 167 | 138 | 82.3% | |
| | | | | | | | | |
| | | М | lental Healt | h | | Carers | | |
| | Practice List Size | MH register | Review / Physical health | (%) review / health | Carers register | (%) carers of list | (%) health | |

| | | М | ental Health | า | | Carers | |
|----------------------------------|-----------------------|-------------|--|----------------------------------|--------------------|----------------------------------|-------------------------|
| | Practice List Size | MH register | Review / Physical health checks | (%) review / health checks | Carers register | (%) carers of list size | (%) health checks |
| Kirby-Crompton Health Centre | 6,475 | 41 | 31 | 75.6% | 133 | 2.1% | 60.9% |
| Halliwell Surgery 1 | 4,179 | 50 | 31 | 62.0% | 109 | 2.6% | 67.9% |
| Burnside Surgery | 4,945 | 54 | 30 | 55.6% | 111 | 2.2% | 71.2% |
| Halliwell Surgery 2 | 3,463 | 62 | 56 | 90.3% | 87 | 2.5% | 87.4% |
| Crompton Health Centre | 5,138 | 33 | 26 | 78.8% | 114 | 2.2% | 64.9% |
| Charlotte Street Surgery | 2,136 | 11 | 11 | 100.0% | 40 | 1.9% | 90.0% |
| Halliwell Surgery 3 | 4,114 | 52 | 47 | 90.4% | 96 | 2.3% | 84.4% |
| BCP Astley Dale | 3,926 | 44 | 38 | 85.8% | 92 | 2.3% | 78.6% |
| Crompton/Halliwell Neighbourhood | 34,376 | 347 | 270 | 77.7% | 782 | 2.3% | 73.3% |

ACORN demographic profile

ACORN is a segmentation tool that group's households based on where they live, and helps to understand the different types of communities that make up a larger population and their likely needs, behaviours and opinions relating to a wide range of topics.

There are two different ACORN segmentations. Both give information about the likely demographics of households, the type of housing they live in, and their socioeconomic status. In addition ACORN gives information about their interests, spending habits and use of the internet while Wellbeing ACORN focuses on topics including likely health conditions experienced, adoption of healthy lifestyle behaviours, and extent of engagement with NHS patient forums.



Approximately 60% of Bolton's population is made up of an even split between the most deprived ACORN categories '4 Financially stretched', and '5 Urban adversity'. A further 40% are evenly split between the middling category '3 Comfortable communities' and most affluent category '1 Affluent achievers'.

A third of the Bolton population falls into the Wellbeing ACORN group '2 At risk'; these neighbourhoods do not generally have high incidences of illness, however multiple unhealthy behaviours could put their health at risk in the future. Around half of the Bolton population is evenly split between the two more healthy Wellbeing ACORN groups '4 Healthy' and '3 Caution'.

The below table identifies the key geodemographics for the Crompton and Halliwell neighbourhood and compares these proportionally with the extent to which these communities are found across Bolton as a whole.

| ACORN geodemographic breakdown | | | | | | |
|--------------------------------|------------------------------|--------|--|--|--|--|
| | Crompton and Halliwell | Bolton | | | | |
| 4.L. Modest means | 27.0% | 18.0% | | | | |
| 5.Q. Difficult Circumstances | 22.0% | 7.0% | | | | |
| Wellbeing ACORN key groups | | | | | | |
| 1.3. Hardship Heartlands | 19.0% | 8.0% | | | | |
| 4.22. Gym & Juices | 16.0% | 5.0% | | | | |
| 2.7. Struggling Smokers | 12.0% | 7.0% | | | | |





Summary of the neighbourhood population from key Wellbeing Acorn Types (figures in brackets are Bolton figures):

| 1.3 Hardship heartlands 19% (Bolton 8%) | "Social renters relatively young long term unemployed drinking in excess eat fruit and veg unhealthy lifestyle anxiety and depression high exposure to health services" | TALBOT |
|--|---|--------|
| 4.22 Gym & juices 16% (Bolton 5%) | "Young professionals relatively comfortable multi-ethnic some students some isolation low illness low hazardous drinking" | |
| 2.7 Struggling smokers 12% (Bolton 7%) | "Younger adults benefits routine occupations high expenditure on tobacco hazardous drinking respiratory conditions" | |













